



GEFAHRSTOFF-STATIONEN

Gerade in klein- und mittelständischen Betrieben finden sich in aller Regel eine Vielzahl unterschiedlichster Gebindegrößen mit gefährlichem Inhalt für die Umwelt. Sollen diese dann an einem Ort, auch noch teils stehend und liegend gelagert werden, gibt es oft Probleme. Die Gefahrstoffstationen bieten in diesem Fall eine ideale Lösung auf der Grundlage der gesetzlichen Vorschriften.

- ◆ Universell einsetzbar durch variable Innenausstattung
- ◆ Abschließbarer gasfederter Deckel
- ◆ Lagerung von Behältnissen bis 220 Liter Volumen



**2GSKS,
mit Sonderausstattung Regal**



**2GSKS / Gitt,
mit Sonderausstattung Regal**



**2GSKS,
Artikel-Nr. P21-2503-A**



**2GSKS,
mit Sonderausstattung Regal**




Erläuterungen siehe Praxisinfos auf den Seiten 9 und 90!



GEFAHRSTOFF-STATIONEN



2GSKS,
mit Sonderausstattung Regal



- ◆ Konstruktion aus 3 mm Stahlblech
- ◆ Herausnehmbare feuerverzinkte Gitterroste
- ◆ 100 mm Bodenfreiheit für Staplertransport
- ◆ Ausführung NB mit natürlicher Belüftung zur passiven Lagerung von entzündbaren Stoffen



Alle Standardtypen wie abgebildet,
mit optional erhältlichen Regaleinbauten!



für wassergefährdende Stoffe



für entzündbare Stoffe

Zugelassen	für wassergefährdende Stoffe		für entzündbare Stoffe			
Typenbezeichnung	GSKS		GSKS / Gitt		GSKS / NB	
Kapazität à 200-Liter-Fass	2	4	2	4	2	4
Maße B x T in mm	1410 x 810	1410 x 1290	1410 x 810	1410 x 1290	1410 x 810	1410 x 1290
Gesamthöhe in mm	1395	1315	1395	1315	1395	1315
Lichte Fachhöhe in mm	1025	1025	1025	1025	1025	1025
Auffangvolumen in Liter	220	220	220	220	220	220
Artikel-Nr., lackiert	P21-2503-A	P21-2512-A	P21-2504-A	P21-2513-A	P21-2505-C	P21-2514-C
Artikel-Nr., verzinkt	P21-1503-A	P21-1512-A	P21-1504-A	P21-1513-A	P21-1505-C	P21-1514-C

ZUBEHÖR:

Eine zusätzliche Gitterrost-Lagerebene inkl. Regalstützen und Traversen für 2-Fass-Typen		
Abmaße Gitterrost B x T in mm	1260 x 500 (ganze Breite)	650 x 500 (halbe Breite)
Fachhöhe in mm	unten 485 / oben 465	unten 485 / oben 465
Lagermöglichkeiten auf diesen Ebenen		
Artikel-Nr., nur Kleingebinde	P21-1540-B	P21-1541-B
Artikel-Nr., 1 x 60-Liter-Fass liegend und Kleingebinde	P21-1542-B	P21-1543-B
Artikel-Nr., 2 x 60-Liter-Fass liegend und Kleingebinde	P21-1544-B	-
Artikel-Nr., 3 x 60-Liter-Fass liegend	P21-1545-B	-

Zwei zusätzliche Gitterrost-Lagerebenen inkl. Regalstützen und Traversen für 2-Fass-Typen		
Abmaße Gitterrost B x T in mm	2 x 1260 x 500 (ganze Breite)	2 x 650 x 500 (halbe Breite)
Fachhöhe (obere Ebene) für 60-Liter-Fass in mm	1 x 465	1 x 465
(untere Ebene) für Kleingebinde in mm	2 x 205	2 x 205
Lagermöglichkeiten auf diesen Ebenen		
Artikel-Nr., nur Kleingebinde	P21-2540-B	P21-2541-B
Artikel-Nr., 1 x 60-Liter-Fass liegend und Kleingebinde	P21-2542-B	P21-2543-B
Artikel-Nr., 2 x 60-Liter-Fass liegend und Kleingebinde	P21-2544-B	-
Artikel-Nr., 3 x 60-Liter-Fass liegend und Kleingebinde	P21-2545-B	-

Zusätzliche Lagerebenen für 4-Fass-Typen auf Anfrage!



STATIONS FOR HAZARDOUS SUBSTANCES

Small and medium-sized companies normally have a large number of different-sized containers with contents that represent an environmental hazard. If these are then to be stored at a particular location, with some of them vertical and some horizontal, this frequently causes problems. In such cases our stations for hazardous substances supply the ideal solution based on legal requirements.

- ◆ Universal use due to variable inner fittings
- ◆ Lockable pneumatically sprung cover
- ◆ Storage of containers up to 220 liters capacity



**2GSKS,
with shelving as special equipment**



**2GSKS / Gitt,
with shelving as special equipment**



**2GSKS,
Article no. P21-2503-A**



**2GSKS,
with shelving as special equipment**



Explanations see practical informations on page 9 and 90!

STATIONS FOR HAZARDOUS SUBSTANCES



STATIONS FOR HAZARDOUS SUBSTANCES



2GSKS,
with shelving as special equipment



- ◆ Made from 3 mm sheet steel
- ◆ Removable galvanized grids
- ◆ 100 mm ground clearance with fork-lift supports
- ◆ Version NB with natural ventilation for passive storage of flammable substances



**All standard models as shown,
with optional available shelving!**



for water-endangering liquids



for flammable liquids

Approved Model	GSKS		GSKS / Gitt		GSKS / NB	
	2	4	2	4	2	4
Capacity, 200 liter drums						
Dimensions W x D (mm)	1410 x 810	1410 x 1290	1410 x 810	1410 x 1290	1410 x 810	1410 x 1290
Total height (mm)	1395	1315	1395	1315	1395	1315
Clear compartment height (mm)	1025	1025	1025	1025	1025	1025
Sump capacity (l)	220	220	220	220	220	220
Article no., painted	P21-2503-A	P21-2512-A	P21-2504-A	P21-2513-A	P21-2505-C	P21-2514-C
Article no., galvanized	P21-1503-A	P21-1512-A	P21-1504-A	P21-1513-A	P21-1505-C	P21-1514-C

Accessories:

One additional grid as storage level with shelf supports and crossbeams for 2 drum types

Grid dimensions W x D (mm)	1260 x 500 (whole width)	650 x 500 (half width)
Compartment height (mm)	bottom 485 / top 465	bottom 485 / top 465
Storage possibilities on these levels		
Article no., small containers only	P21-1540-B	P21-1541-B
Article no., 1 x 60 liter drum horizontal and small containers	P21-1542-B	P21-1543-B
Article no., 2 x 60 liter drums horizontal and small containers	P21-1544-B	-
Article no., 3 x 60 liter drums horizontal	P21-1545-B	-

Two additional grids as storage level with shelf supports and crossbeams for 2 drum types

Grid dimensions W x D (mm)	2 x 1260 x 500 (whole width)	2 x 650 x 500 (half width)
Compartment height (top) for 60 liter drums (mm)	1 x 465	1 x 465
(bottom) for small containers (mm)	2 x 205	2 x 205
Storage possibilities on these levels		
Article no., small containers only	P21-2540-B	P21-2541-B
Article no., 1 x 60 liter drum horizontal and small containers	P21-2542-B	P21-2543-B
Article no., 2 x 60 liter drums horizontal and small containers	P21-2544-B	-
Article no., 3 x 60 liter drums horizontal and small containers	P21-2545-B	-

Additional storage levels for 4 drum models available on request!