




UMWELTSCHRÄNKE VA BAUHÖHE 1000 MM

Zur Lagerung von wassergefährdenden und aggressiven Gefahrstoffen in Kleingebinden im Gebäude

- ◆ Korpus und Flügeltüren gefertigt aus Edelstahl 1.4301
- ◆ Türen verstärkt mit Griffzylinderschloss
- ◆ Lüftung über Lüftungsöffnungen in der/den Tür/en
- ◆ Auch geeignet für Feucht- und Nassräume
- ◆ **Inkl. Inneneinrichtung:**
 - Bodenwanne (BW-VA) aus Edelstahl 1.4301, 2 mm, entsprechend AwSV - **Ü-Zeichen gemäß StawaR**
 - Bauhöhe 1000 mm - 1 St. Einlegewanne (EW-VA) aus Edelstahl 1.4301
 - Einlegewannen (EW-VA), Tragkraft 50 kg, höhenverstellbar im Raster von 25 mm

store LAB
by LAGOMAT



**UWS-VA 6/10,
Artikel-Nr. B80-6612-A**



**UWS-VA 10/10,
Artikel-Nr. B80-6613-A**



Kleingebinde-Gefahrstoffregale aus Edelstahl finden Sie auf Seite 53!



**UWS-VA 6/10,
Artikel-Nr. B80-6612-A**



**UWS-VA 10/10,
Artikel-Nr. B80-6613-A**

Schranktyp	UWS-VA 6/10	UWS-VA 10/10
Außenmaße B x T x H in mm	600 x 500 x 1000	1000 x 500 x 1000
Innenmaße B x T x H in mm	525 x 460 x 835	925 x 460 x 835
Auffangvolumen in Liter	AW-VA 1 x 20 / EW-VA 1 x 11	AW-VA 1 x 30 / EW-VA 1 x 19
Flügeltür/en	1 (DIN rechts)	2
Gewicht in kg	28	47
Artikel-Nr.	B80-6612-A	B80-6613-A

Zubehör	Artikel-Nr.	Artikel-Nr.
Zusätzliche Einlegewanne EW-VA	B80-6614-A	B80-6615-A




UMWELTSCHRÄNKE VA BAUHÖHE 1800 MM

Zur Lagerung von wassergefährdenden und aggressiven Gefahrstoffen in Kleingebinden im Gebäude

- ◆ Korpus und Flügeltüren gefertigt aus Edelstahl 1.4301
- ◆ Türen verstärkt mit Griffzylinderschloss
- ◆ Ausführung GL: Tür/en Edelstahl 1.4301 mit Plexiglassausschnitt
- ◆ Lüftung über Lüftungsöffnungen in der/den Tür/en
- ◆ Auch geeignet für Feucht- und Nassräume
- ◆ **Inkl. Inneneinrichtung:**
 - Bodenwanne (BW-VA) aus Edelstahl 1.4301, 2 mm, entsprechend AwSV - **Ü-Zeichen gemäß StawaR**
 - Bauhöhe 1800 mm - 3 St. Einlegewanne (EW-VA) aus Edelstahl 1.4301
 - Einlegewannen (EW-VA), Tragkraft 50 kg, höhenverstellbar im Raster von 25 mm

store LAB
by LADIMAT



**UWS-VA 10/18,
Artikel-Nr. B80-6618-A**



**UWS-VA 6/18,
Artikel-Nr. B80-6616-A**



**UWS-VA 6/18 GL,
Artikel-Nr. B80-6617-A**



**UWS-VA 10/18 GL,
Artikel-Nr. B80-6619-A**

Schrankschranktyp	UWS-VA 6/18	UWS-VA 6/18 GL	UWS-VA 10/18	UWS-VA 10/18 GL
Außenmaße B x T x H in mm	600 x 500 x 1800	600 x 500 x 1800	1000 x 500 x 1800	1000 x 500 x 1800
Innenmaße B x T x H in mm	525 x 460 x 1635	525 x 460 x 1635	925 x 460 x 1635	925 x 460 x 1635
Auffangvolumen in Liter	AW-VA 1 x 20 / EW-VA 3 x 11	AW-VA 1 x 20 / EW-VA 3 x 11	AW-VA 1 x 30 / EW-VA 3 x 19	AW-VA 1 x 30 / EW-VA 3 x 19
Flügeltür/en	1 (DIN rechts)	1 (DIN rechts, Plexiglastür)	2	2 (Plexiglastüren)
Gewicht in kg	50	59	70	79
Artikel-Nr.	B80-6616-A	B80-6617-A	B80-6618-A	B80-6619-A

Zubehör	Artikel-Nr.	Artikel-Nr.	Artikel-Nr.	Artikel-Nr.
Zusätzliche Einlegewanne EW-VA	B80-6614-A	B80-6614-A	B80-6615-A	B80-6615-A




STAINLESS STEEL ENVIRONMENTAL CABINETS HEIGHT 1000 MM

For storing water-endangering and aggressive hazardous substances in small containers in buildings

- ◆ Body and hinged doors made of 1.4301 stainless steel
- ◆ Reinforced door(s) with central cylinder lock
- ◆ Ventilation slots in the door(s)
- ◆ Also suitable for damp and wet rooms
- ◆ **With inner fittings:**
 - Base sump tray (BW-VA) made of stainless steel 1.4301, 2 mm, according to AwSV - **Ü-sign according to StawaR**
 - Height 1000 mm - 1 tray-shaped shelf (EW-VA) made of stainless steel 1.4301
 - Tray-shaped shelf (EW-VA), max. load 50 kg, height-adjustable at intervals of 25 mm

store LAB
by LAGOMAT



UWS-VA 6/10,
Article no. B80-6612-A



UWS-VA 10/10,
Article no. B80-6613-A



Stainless steel shelving units for small containers can be found on page 53!



UWS-VA 6/10,
Article no. B80-6612-A



UWS-VA 10/10,
Article no. B80-6613-A

Model	UWS-VA 6/10	UWS-VA 10/10
External dimensions W x D x H (mm)	600 x 500 x 1000	1000 x 500 x 1000
Internal dimensions W x D x H (mm)	525 x 460 x 835	925 x 460 x 835
Sump capacity (l)	AW-VA 1 x 20 / EW-VA 1 x 11	AW-VA 1 x 30 / EW-VA 1 x 19
Wing door(s)	1 (DIN right)	2
Weight (kg)	28	47
Article no.	B80-6612-A	B80-6613-A

Accessory	Article no.	Article no.
Additional tray-shaped shelf EW-VA	B80-6614-A	B80-6615-A




STAINLESS STEEL ENVIRONMENTAL CABINETS HEIGHT 1800 MM

For storing water-endangering and aggressive hazardous substances in small containers in buildings

- ◆ Body and hinged doors made of 1.4301 stainless steel
- ◆ Reinforced door(s) with central cylinder lock
- ◆ Version GL: Door(s) stainless steel 1.4301 with acrylic glass window
- ◆ Ventilation slots in the door(s)
- ◆ Also suitable for damp and wet rooms
- ◆ **With inner fittings:**
 - Base sump tray (BW-VA) made of stainless steel 1.4301, 2 mm, according to AwSV - **Ü-sign according to StawaR**
 - Height 1800 mm - 3 tray-shaped shelves (EW-VA) made of stainless steel 1.4301
 - Tray-shaped shelves (EW-VA), max. load 50 kg, height-adjustable at intervals of 25 mm

store LAB
by LAGOMAT



UWS-VA 10/18,
Article no. B80-6618-A



UWS-VA 6/18,
Article no. B80-6616-A



UWS-VA 6/18 GL,
Article no. B80-6617-A



UWS-VA 10/18 GL,
Article no. B80-6619-A

Model	UWS-VA 6/18	UWS-VA 6/18 GL	UWS-VA 10/18	UWS-VA 10/18 GL
External dimensions W x D x H (mm)	600 x 500 x 1800	600 x 500 x 1800	1000 x 500 x 1800	1000 x 500 x 1800
Internal dimensions W x D x H (mm)	525 x 460 x 1635	525 x 460 x 1635	925 x 460 x 1635	925 x 460 x 1635
Sump capacity (l)	AW-VA 1 x 20 / EW-VA 3 x 11	AW-VA 1 x 20 / EW-VA 3 x 11	AW-VA 1 x 30 / EW-VA 3 x 19	AW-VA 1 x 30 / EW-VA 3 x 19
Wing door(s)	1 (DIN right)	1 (DIN right, acrylic glass door)	2	2 (acrylic glass doors)
Weight (kg)	50	59	70	79
Article no.	B80-6616-A	B80-6617-A	B80-6618-A	B80-6619-A

Accessory	Article no.	Article no.	Article no.	Article no.
Additional tray-shaped shelf EW-VA	B80-6614-A	B80-6614-A	B80-6615-A	B80-6615-A