



FASSREGALE

Fassregale zur liegenden Lagerung und zum Abfüllen verschiedener Gebindegrößen

Nicht nur sicheres Lagern sondern auch Abfüllen spielt beim Umgang mit wassergefährdenden Stoffen eine große Rolle.

Die speziell dafür entwickelten Fassregale garantieren:

- ◆ Vorschriftsmäßige Sicherheit
- ◆ Praxiserprobte Konstruktion
- ◆ Einfache Bedienung
- ◆ Flexible Einsetzbarkeit
- ◆ Schneller Aufbau mit beigelegter Montageanleitung



**Zapfhähne finden
Sie auf Seite 235!**



**FR2-3636,
Artikel-Nr. R74-1015-B,
mit optionalem Kannenträger**



**FR2-2236,
Artikel-Nr. R74-1010-B,
mit optionalem Kannenträger**




**FR2-2222,
Artikel-Nr. R74-1007-B,
mit optionalem Kannenträger**

FASSREGALE


- ◆ Auffangwanne aus 3 mm **feuerverzinktem** Stahlblech
- ◆ Auffangwanne entsprechend AwSV - **Ü-Zeichen gemäß StawaR**
- ◆ Liegende Lagerung von 60 - 200 L Fässern
- ◆ Kleingebindelagerung zusätzlich möglich
- ◆ Grund- und Anbauelemente beliebig untereinander kombinierbar
- ◆ Hohe Stabilität durch Steck- und Schraubverbindung
- ◆ Längstraversen höhenverstellbar
- ◆ Tragkraft je Traversenpaar beträgt 600 kg
- ◆ Alle Rahmenteile und Längstraversen verzinkt
- ◆ Standardmäßig mit festen Fassauflagen



Fassregale sind auch nachträglich erweiterbar



**Drehbare Rollenauflage,
Artikel-Nr. Z50-1925-B**



**FR3-96,
Artikel-Nr. R74-1023-B,
mit optionalem Kannenträgern**

Typenbezeichnung	FR2-2222	FR2-2236	FR2-3636	FR3-96
Außenmaße B x T x H in mm	1507 x 800 x 2200	1507 x 800 x 2200	1507 x 800 x 2200	1507 x 800 x 2200
Wannenmaße B x T x H in mm	1325 x 1320 x 250	1325 x 1320 x 250	1325 x 1320 x 250	1325 x 1320 x 250
Auffangvolumen in Liter	210	210	210	210
Kapazität Fässer in Liter	4 x 200	2 x 200 / 3 x 60	6 x 60	9 x 60
Wanne feuerverzinkt ohne Gitterrost				
Artikel-Nr. / Grundfeld	R74-1006-B	R74-1010-B	R74-1014-B	R74-1022-B
Artikel-Nr. / Anbaufeld	R74-1008-B	R74-1012-B	R74-1016-B	R74-1024-B
Wanne feuerverzinkt mit Gitterrost				
Artikel-Nr. / Grundfeld	R74-1007-B	R74-1011-B	R74-1015-B	R74-1023-B
Artikel-Nr. / Anbaufeld	R74-1009-B	R74-1013-B	R74-1017-B	R74-1025-B

Zubehör	Artikel-Nr.
Drehbare Rollenauflage, für vorhandene Fassauflage, kugelgelagert, Tragfähigkeit 210 kg	Z50-1925-B
Kannenträger	Z50-1926-B
Anfahrerschutz, gelb / schwarze Sicherheitslackierung, inkl. Bodenanker	R23-3110-D
Zusätzliche Gitterrostlagerebene, inklusive Tragbalken	R74-1040-B



DRUM RACKS

For horizontal storage and filling off from various container sizes

Not only their safe storage but also proper filling off plays a great role with waterendangering substances.

The drum racks that have been specially developed for this purpose guarantee:

- ◆ Safety in accordance with the rules
- ◆ Practically tested construction
- ◆ Simple operation
- ◆ Flexible usability
- ◆ Assembly instructions provided for quick assembly



Taps can be found on page 235!



FR2-3636,
Article no. R74-1015-B,
with optional can support



FR2-2236,
Article no. R74-1010-B,
with optional can support




FR2-2222,
Article no. R74-1007-B,
with optional can support




DRUM RACKS

- ◆ Sump pallet made from 3 mm sheet steel
- ◆ Sump pallet according to AwSV - **Ü-sign according to StawaR**
- ◆ Horizontal storage of 60 - 200 liter drums
- ◆ Small container storage also possible
- ◆ Basic and extension units can be combined at will
- ◆ Highly stable due to plug and screw connections
- ◆ Height-adjustable crossbeams
- ◆ Max. load per crossbeam pair 600 kg
- ◆ All frame components and crossbeams galvanized
- ◆ Fixed drum supports as standard



Drum racks can also be extended at a later date



Rotating drum support, Article no. Z50-1925-B



FR3-96, Article no. R74-1023-B, with optional can supports

Model	FR2-2222	FR2-2236	FR2-3636	FR3-96
External dimensions W x D x H (mm)	1507 x 800 x 2200	1507 x 800 x 2200	1507 x 800 x 2200	1507 x 800 x 2200
Sump pallet dimensions W x D x H (mm)	1325 x 1320 x 250	1325 x 1320 x 250	1325 x 1320 x 250	1325 x 1320 x 250
Sump capacity (l)	210	210	210	210
Capacity, liter drums	4 x 200	2 x 200 / 3 x 60	6 x 60	9 x 60
Fire-galvanized sump pallet without grid support				
Article no. / basic unit	R74-1006-B	R74-1010-B	R74-1014-B	R74-1022-B
Article no. / extension unit	R74-1008-B	R74-1012-B	R74-1016-B	R74-1024-B
Fire-galvanized sump pallet with grid support				
Article no. / basic unit	R74-1007-B	R74-1011-B	R74-1015-B	R74-1023-B
Article no. / extension unit	R74-1009-B	R74-1013-B	R74-1017-B	R74-1025-B

Accessories	Article no.
Rotating drum support with ball bearings, for clamping onto existing drum support, max. load 210 kg	Z50-1925-B
Can support	Z50-1926-B
Collision protection, with yellow / black safety painting and floor anchor	R23-3110-D
Additional grid storage level, with carrier bar	R74-1040-B