



Erläuterungen siehe Praxisinfos auf den Seiten 6 und 86!


CHEMIKALIENSCHRÄNKE BAUHÖHE 1950 MM

Zur sicheren und vorschriftsmäßigen Lagerung von nicht entzündbaren Gefahrstoffen und Chemikalien in Arbeitsräumen

- ◆ Korpus aus Qualitätsstahlblech in einwandiger Bauweise mit hochwertiger Pulverbeschichtung RAL 7035 - lichtgrau, Farbe der Tür/en wahlweise aus 4 verschiedenen Farbtönen ohne Aufpreis
- ◆ Tür/en über zentrales Zylinderschloss abschließbar
- ◆ Zuluft über Lüftungsöffnungen in der/den Tür/en
- ◆ Einlegewannen
 - kippsicher, Tragkraft 50 kg
 - im Raster von 25 mm höhenverstellbar
- ◆ Abluftanschluss durch Rohrstützen DN 80 auf der Schrankdecke
- ◆ Kennzeichnung nach ASR A1.3
- ◆ **Inkl. Inneneinrichtung:**

CHS 600 / CHS 950 / CHS 1200:

- drei Einlegewannen (EW), Werkstoff Stahlblech, pulverbeschichtet in RAL 7035 - lichtgrau
- Auffangwanne (AW), Werkstoff Stahlblech, 3 mm, pulverbeschichtet in RAL 7035 - lichtgrau, entsprechend WHG - **Ü-Zeichen gemäß StawaR**



RAL 7035



RAL 5015



RAL 1018



RAL 3000

4 Türfarben zur Wahl - ohne Aufpreis!



CHS 600, Tür RAL 7035
Artikel-Nr. B80-6134-A



CHS 950, Türen RAL 3000
Artikel-Nr. B80-6169-A



CHS 1200, Türen RAL 5015
Artikel-Nr. B80-6171-A

Schranktyp	CHS 600	CHS 950	CHS 1200
Außenmaße B x T x H in mm	600 x 570 x 1935	950 x 500 x 1950	1200 x 500 x 1950
Nutzbare Innenmaße B x T x H in mm	564 x 512 x 1890	910 x 440 x 1903	1160 x 440 x 1903
Auffangvolumen in Liter	AW 1 x 30 / EW 3 x 20	AW 1 x 30 / EW 3 x 20	AW 1 x 39 / EW 3 x 20
Flügeltüren	1 (DIN rechts)	2	2
Gewicht in kg	58	76	100
CHS Außenkorpus ist immer: RAL 7035 - lichtgrau			
Artikel-Nr., Tür/en RAL 7035 - lichtgrau	B80-6134-A	B80-6210-A	B80-6212-A
Artikel-Nr., Tür/en RAL 5015 - himmelblau	B80-6161-A	B80-6166-A	B80-6171-A
Artikel-Nr., Tür/en RAL 1018 - zinkgelb	B80-6162-A	B80-6167-A	B80-6172-A
Artikel-Nr., Tür/en RAL 3000 - feuerrot	B80-6164-A	B80-6169-A	B80-6174-A

Zubehör	Artikel-Nr.	Artikel-Nr.	Artikel-Nr.
Einlegewanne, Stahlblech RAL 7035	B80-6135-A	B80-2826-A	B80-6127-A
Lochblechabdeckung für Auffangwanne RAL 7035	B80-6520-A	B80-6521-A	B80-6522-A
PE-Einsatz für Auffangwanne, zum Lagern von aggressiven Medien	B80-6136-A	B80-2828-A	B80-6129-A
PE-Einsatz für Einlegewanne, zum Lagern von aggressiven Medien	B80-6137-A	B80-2830-A	B80-6128-A
Schließfach Stahlblech RAL 7035	B80-6138-A	B80-6243-A	B80-6254-A



CHEMIKALIENSCHRÄNKE BAUHÖHE 1950 MM MIT PLEXIGLASTÜREN

Zur sicheren und vorschriftsmäßigen Lagerung von nicht entzündbaren Gefahrstoffen und Chemikalien in Arbeitsräumen

- ◆ Korpus aus Qualitätsstahlblech in einwandiger Bauweise mit hochwertiger Pulverbeschichtung RAL 7035 - lichtgrau, Farbe der Tür/en wahlweise aus 4 verschiedenen Farbtönen ohne Aufpreis
- ◆ Plexiglastür/en über zentrales Zylinderschloss abschließbar
- ◆ Zuluft über Lüftungsöffnungen in der/den Tür/en
- ◆ Einlegewannen
 - kippsicher, Tragkraft 50 kg
 - im Raster von 25 mm höhenverstellbar
- ◆ Abluftanschluss durch Rohrstützen DN 80 auf der Schrankdecke
- ◆ Kennzeichnung nach ASR A1.3
- ◆ **Inkl. Inneneinrichtung:**

CHS 600 GL / CHS 950 GL / CHS 1200 GL:

- drei Einlegewannen (EW), Werkstoff Stahlblech, pulverbeschichtet in RAL 7035 - lichtgrau
- Auffangwanne (AW), Werkstoff Stahlblech, 3 mm, pulverbeschichtet in RAL 7035 - lichtgrau, entsprechend WHG - **Ü-Zeichen gemäß StawaR**



RAL 7035



RAL 5015



RAL 1018



RAL 3000

4 Türfarben zur Wahl - ohne Aufpreis!



CHS 600 GL, Tür RAL 3000
Artikel-Nr. B80-6180-A



CHS 950 GL, Türen RAL 7035
Artikel-Nr. B80-6216-A



CHS 1200 GL, Türen RAL 1018
Artikel-Nr. B80-6189-A

Schranktyp	CHS 600 GL	CHS 950 GL	CHS 1200 GL
Außenmaße B x T x H in mm	600 x 570 x 1935	950 x 500 x 1950	1200 x 500 x 1950
Nutzbare Innenmaße B x T x H in mm	564 x 512 x 1890	910 x 440 x 1903	1160 x 440 x 1903
Auffangvolumen in Liter	AW 1 x 30 / EW 3 x 20	AW 1 x 30 / EW 3 x 20	AW 1 x 39 / EW 3 x 20
Flügeltüren	1 (DIN rechts, Plexiglastür)	2 (Plexiglastüren)	2 (Plexiglastüren)
Gewicht in kg	58	76	100
CHS Außenkorpus ist immer: RAL 7035 - lichtgrau			
Artikel-Nr., Tür/en RAL 7035 - lichtgrau	B80-6176-A	B80-6216-A	B80-6187-A
Artikel-Nr., Tür/en RAL 5015 - himmelblau	B80-6177-A	B80-6182-A	B80-6188-A
Artikel-Nr., Tür/en RAL 1018 - zinkgelb	B80-6178-A	B80-6183-A	B80-6189-A
Artikel-Nr., Tür/en RAL 3000 - feuerrot	B80-6180-A	B80-6185-A	B80-6191-A

Zubehör	Artikel-Nr.	Artikel-Nr.	Artikel-Nr.
Einlegewanne, Stahlblech RAL 7035	B80-6135-A	B80-2826-A	B80-6127-A
Lochblechabdeckung für Auffangwanne RAL 7035	B80-6520-A	B80-6521-A	B80-6522-A
PE-Einsatz für Auffangwanne, zum Lagern von aggressiven Medien	B80-6136-A	B80-2828-A	B80-6129-A
PE-Einsatz für Einlegewanne, zum Lagern von aggressiven Medien	B80-6137-A	B80-2830-A	B80-6128-A
Schließfach Stahlblech RAL 7035	B80-6138-A	B80-6243-A	B80-6254-A



Explanations see practical informations on page 6 and 84!

CHEMICALS AND POISONS CABINETS HEIGHT 1950 MM

For safe and regular storage of non-flammable hazardous substances and chemicals in workspaces


- ◆ Single-wall body made from high-quality powder-coated sheet steel in RAL 7035 - light grey, 4 door colors available - at no extra charge
- ◆ Door(s) with central cylinder lock
- ◆ Ventilation slots in the door(s)
- ◆ Tray-shaped shelves
 - non-tilt, max. load 50 kg / shelf
 - height-adjustable at intervals of 25 mm
- ◆ DN 80 ventilation connection for exhaust air extraction on cabinet roof
- ◆ Marking according to ASR A1.3

◆ With inner fittings:

CHS 600 / CHS 950 / CHS 1200:

- 3 tray-shaped shelves (EW), made from powder-coated sheet steel in RAL 7035 - light grey
- Base sump tray (AW), made from powder-coated sheet steel in RAL 7035 - light grey as per WHG - **Ü-sign according to StawaR**

store LABTM
by LAGOM



RAL 7035



RAL 5015



RAL 1018



RAL 3000

4 door colors available - at no extra charge!



CHS 600, door RAL 7035
Article no. B80-6134-A



CHS 950, doors RAL 3000
Article no. B80-6169-A



CHS 1200, doors RAL 5015
Article no. B80-6171-A

Model	CHS 600	CHS 950	CHS 1200
External dimensions W x D x H (mm)	600 x 570 x 1935	950 x 500 x 1950	1200 x 500 x 1950
Usable internal dimensions W x D x H (mm)	564 x 512 x 1890	910 x 440 x 1903	1160 x 440 x 1903
Sump capacity (l)	AW 1 x 30 / EW 3 x 20	AW 1 x 30 / EW 3 x 20	AW 1 x 39 / EW 3 x 20
Door(s)	1 (DIN right)	2	2
Weight (kg)	58	76	100
CHS outer body is always: RAL 7035 - light grey			
Article no., door(s) RAL 7035 - light grey	B80-6134-A	B80-6210-A	B80-6212-A
Article no., door(s) RAL 5015 - sky blue	B80-6161-A	B80-6166-A	B80-6171-A
Article no., door(s) RAL 1018 - zinc yellow	B80-6162-A	B80-6167-A	B80-6172-A
Article no., door(s) RAL 3000 - fire red	B80-6164-A	B80-6169-A	B80-6174-A

Accessories	Article no.	Article no.	Article no.
Tray-shaped shelf, sheet steel RAL 7035	B80-6135-A	B80-2826-A	B80-6127-A
Perforated metal cover for base sump tray, RAL 7035	B80-6520-A	B80-6521-A	B80-6522-A
PE-insert for base sump tray, for storage of aggressive media	B80-6136-A	B80-2828-A	B80-6129-A
PE-insert for tray-shaped shelf, for storage of aggressive media	B80-6137-A	B80-2830-A	B80-6128-A
Safe compartment sheet steel, RAL 7035	B80-6138-A	B80-6243-A	B80-6254-A



CHEMICALS AND POISONS CABINETS HEIGHT 1950 MM WITH ACRYLIC GLASS DOORS

For safe and regular storage of non-flammable hazardous substances and chemicals in workspaces


- ◆ Single-wall body made from high-quality powder-coated sheet steel in RAL 7035 - light grey, 4 door colors available - at no extra charge
- ◆ Acrylic glass door(s) with central cylinder lock
- ◆ Ventilation slots in the door(s)
- ◆ Tray-shaped shelves
 - non-tilt, max. load 50 kg / shelf
 - height-adjustable at intervals of 25 mm
- ◆ DN 80 ventilation connection for exhaust air extraction on cabinet roof
- ◆ Marking according to ASR A1.3

◆ With inner fittings:

CHS 600 GL / CHS 950 GL / CHS 1200 GL:

- 3 tray-shaped shelves (EW), made from powder-coated sheet steel in RAL 7035 - light grey
- Base sump tray (AW), made from powder-coated sheet steel in RAL 7035 - light grey as per WHG - **Ü-sign according to StawaR**

store LAB
by LAGOM



RAL 7035

RAL 5015

RAL 1018

RAL 3000

4 door colors available - at no extra charge!



CHS 600 GL, door RAL 3000
Article no. B80-6180-A



CHS 950 GL, doors RAL 7035
Article no. B80-6216-A



CHS 1200 GL, doors RAL 1018
Article no. B80-6189-A

Model	CHS 600 GL	CHS 950 GL	CHS 1200 GL
External dimensions W x D x H (mm)	600 x 570 x 1935	950 x 500 x 1950	1200 x 500 x 1950
Usable internal dimensions W x D x H (mm)	564 x 512 x 1890	910 x 440 x 1903	1160 x 440 x 1903
Sump capacity (l)	AW 1 x 30 / EW 3 x 20	AW 1 x 30 / EW 3 x 20	AW 1 x 39 / EW 3 x 20
Door(s)	1 (DIN right, acrylic glass door)	2 (acrylic glass doors)	2 (acrylic glass doors)
Weight (kg)	58	76	100
CHS outer body is always: RAL 7035 - light grey			
Article no., door(s) RAL 7035 - light grey	B80-6176-A	B80-6216-A	B80-6187-A
Article no., door(s) RAL 5015 - sky blue	B80-6177-A	B80-6182-A	B80-6188-A
Article no., door(s) RAL 1018 - zinc yellow	B80-6178-A	B80-6183-A	B80-6189-A
Article no., door(s) RAL 3000 - fire red	B80-6180-A	B80-6185-A	B80-6191-A

Accessories	Article no.	Article no.	Article no.
Tray-shaped shelf, sheet steel RAL 7035	B80-6135-A	B80-2826-A	B80-6127-A
Perforated metal cover for base sump tray, RAL 7035	B80-6520-A	B80-6521-A	B80-6522-A
PE-insert for base sump tray, for storage of aggressive media	B80-6136-A	B80-2828-A	B80-6129-A
PE-insert for tray-shaped shelf, for storage of aggressive media	B80-6137-A	B80-2830-A	B80-6128-A
Safe compartment sheet steel, RAL 7035	B80-6138-A	B80-6243-A	B80-6254-A